

13
31. (Amended) The composition of claim 19, wherein the therapeutic drug is a compound belonging to the group of thapsigargins which have been derivatized with a moiety containing a primary amino group, the peptide is His-Ser-Ser-Lys-Leu-Gln (SEQ ID NO:7), and the linker is selected from the group consisting of unsubstituted or alkyl-, aryl-, halo-, alkoxy-, alkkenyl-, amido-, or amino-substituted $\text{CO}-(\text{CH}=\text{CH})_{n1}-(\text{CH}_2)_{n2}-\text{Ar}-\text{NH}_2$, $\text{CO}-(\text{CH}_2)_{n2}-(\text{CH}=\text{CH})_{n1}-\text{Ar}-\text{NH}_2$, $\text{CO}-(\text{CH}_2)_{n2}-(\text{CH}=\text{CH})_{n1}-\text{CO}-\text{NH}-\text{Ar}-\text{NH}_2$ and $\text{CO}-(\text{CH}=\text{CH})_{n1}-(\text{CH}_2)_{n2}-\text{CO}-\text{NH}-\text{Ar}-\text{NH}_2$ wherein $n1$ and $n2$ are from 0 to 5, Ar is any substituted or unsubstituted aryl group, and attachment of NH_2 to Ar is in a ortho, meta or para position with respect to the remainder of the linker.
